

Water Quality Report

2022 City of Port St. Lucie Utility Systems Department



1001 SE Prineville St., Port St. Lucie, FL 34983 utility.cityofpsl.com 772-873-6400



A Message from the Director

I am pleased to provide you an opportunity to review our Consumer Confidence Report (CCR), which offers details about the quality of the potable water distributed by the City of Port St. Lucie's Utility Systems Department (Utility). We routinely monitor for contaminants in your drinking water according to Federal and State laws, rules, and regulations. Except where indicated otherwise, this report is based on the results of our monitoring for the period of January 1 to December 31, 2022. Data obtained before January 1, 2022 and presented in this report are from the most recent testing done in accordance with the laws, rules, and regulations.

As authorized and approved by the EPA, the State has reduced monitoring requirements for certain contaminants to less often than once per year because the concentrations of these contaminants are not expected to vary significantly from one year to another. As a result, some of our data is more than one year old.

Protecting local water sources and the quality of the water we produce are both critical to the Utility's mission, and this report is a great way to review our testing and results. New customers may notice differences, such as the taste of our tap water, when relocating to Florida from another part of the country. The Utility's water comes from the surficial and Floridan aquifers, and is treated through reverse osmosis and lime softening at our three treatment plants. Although our water may taste different from what you may be used to, we assure you it continues to meet or exceed all regulations.

Since assuming ownership and operations of the Utility in 1994, we have grown from 17,000 customers to over 90,000. Anticipating such growth, our leadership for nearly three decades has made sure there would be ample treatment and storage capacity to meet our resident's increasing water needs for years to come. Our strategic plan spans more than 50 years into the future which has led the Utility to acquire properties that will be used to construct two future water treatment facilities. We welcome the increase in customers, plus the increase in water flow traveling through our more than 1,200-mile distribution system. More flow means fresher water at every faucet in your home and throughout our entire system.

We have always been the vanguard within our industry by means of innovation, forward-thinking and pioneering advancements in utility operations. Through pilot testing programs and additional enhancements at our water treatment plants, we are exploring the use of new technologies, which will further improve processes and cost saving efficiencies. A 6-month pilot study at our Prineville Lime Softening Plant is testing a new, more efficient filtration process that uses ceramic filters and eliminates waste. Our James E. Anderson Reverse Osmosis Plant is undergoing a total membrane replacement, which will increase treatment productivity.

Being a Port St. Lucie Utility Systems customer means not having to worry about the quality of your drinking water. We are industry experts working 24 hours a day, and are committed to dependably providing a supply of clean, safe, and great-tasting drinking water to our ever growing number of customers. However, the most important message in this document is that the drinking water provided by the Port St. Lucie Utility Systems Department continues to meet all Federal and State requirements!

If you need more information about this report or our services, please call 772-873-6400.

Kevin Matyjaszek Director of Utility Systems

Where does your water come from?

The City's water supply comes from two independent sources, the shallow aquifer and the deeper Floridan aquifer. Raw water from the shallow aquifer, which is about 100 feet deep, is treated by an 8.0 million gallon per day lime softening facility. This process is a combination of pH adjustments with lime, coagulation with a polymer, multi-media filtration, and disinfection with chloramines. The deeper Floridan aquifer, which is about 1,350 feet deep, is treated by an 11.15 million gallon per day and a 22.5 million gallon per day reverse osmosis facilities. Both finished waters are blended, pH adjusted, disinfected, and fluoride is added.

The sources of drinking water (both tap water and bottled water) includes rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in the source water include:

- 1. Microbiological contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining or farming.
- 3. Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems.
- 5. Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.



How safe is our water?

To ensure that tap water is safe to drink, the EPA prescribes regulations, which limit the amount of certain contaminants in water provided by public water systems. The Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water, which must provide the same protection for public health.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

In addition, if present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Port St. Lucie Utility Systems Department is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Center for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbiological contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

In 2022, the Florida Department of Environmental Protection (FDEP) performed a Source Water Assessment of the City's water supply system to identify any potential sources of contamination in the vicinity of our wells. Eight potential sources of contamination that were identified for this system have a low susceptibility level. It should be noted that the potential sources of contamination identified by this assessment are just that: potential sources. All of Port St. Lucie's water supply facilities are regulated, and operate under stringent construction and maintenance standards to protect both human health and the environment. The purpose of FDEP conducting the source water assessments was to determine if any actions are needed to reduce current risks to avoid future problems. No actions were recommended. The assessment results are available on the FDEP Source Water Assessment and Protection Program website at https://prodapps.dep.state.fl.us/swapp/

Cross Connection Control: Protecting our Water

There are over 85,000 connections to our water distribution system. When connections are properly installed and maintained, the risks of contamination are very minimal. However, unapproved and improper piping changes or connections can adversely affect not only the availability, but also the quality of the water. A cross connection may let polluted water or even chemicals mingle into the water supply system when not properly protected. This not only compromises the water quality, it can also affect your health.

So, what can you do? Do not make or allow improper connections at your home. An unprotected garden hose lying in a puddle is a cross connection. The unprotected lawn sprinkler system is also a cross connection. In addition, residents in neighborhoods utilizing reclaimed water for irrigation must take precautions to prevent cross connections. Reclaimed water is not suitable for potable use and must not be connected to household plumbing. When the cross connection is allowed to exist at your home it will affect you and your family first. If you'd like to learn more about helping to protect the quality of drinking water, call us at 1-772-873-6400 for further information about ways you can help.

Water Conservation Tips

Conserving water not only helps you save money, but it also helps preserve our water resources for the use of generations to come. The power to conserve water continues to rest with each of us, young and old alike, so please share the following tips with your family members, friends and neighbors.

- Avoid unnecessary toilet flushes. Dispose of tissues, insects and other waste in the trash.
- Take a shower instead of a bath. You could save up to 25 gallons when taking a 10-minute shower with a low-flow shower head.
- Become a leak detective! Regularly check faucets, toilets, hose bibs and sprinklers for leaks and make necessary repairs. A slow drip can waste 20 or more gallons of water per day.
- Turn off the water while shaving, brushing your teeth, or washing your hands.
- Soak dirty pots and pans instead of letting the water run while you scrape them.
- Get the most for your money and only run your automatic dishwasher when it's full. Dishwashers use about 15 gallons of water during every cycle, regardless of how many dishes and glasses are loaded into it.
- Use mulch in plant beds to retain moisture, reduce evaporation, and discourage weeds that compete with plants for water.
- Always follow the Water Use Restrictions imposed by South Florida Water Management District for landscape irrigation days and times.

Additional water conservation tips and information about the importance of water conservation can be found at the following sites: www.cityofpsl.com, http://my.sfwmd.gov, or http://www.epa.gov/watersense.

Definitions

Maximum Contaminant Level (MCL):

The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG):

The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Action Level (AL):

The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Maximum residual disinfectant level (MRDL):

The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of disinfectant is necessary for control of microbial contaminants.

Maximum residual disinfectant level goal (MRDLG):

The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

"ND"

Not Detected and indicates that the substance was not found by laboratory analysis.

Locational Running Annual Average (LRAA):

The average of sample analytical results for samples taken at a particular monitoring location during the previous four calendar quarters.

Parts per billion (ppb) or Micrograms per liter (ug/l):

One part by weight of analyte to 1 billion parts by weight of the water sample.

Parts per million (ppm) or Milligrams per liter (mg/l):

One part by weight of analyte to 1 million parts by weight of the water sample.

Picocurie per liter (pCi/L):

Measure of the radioactivity in water.



Lead and Copper Results											
These results are for the entire distribution system											
Contaminant and Unit of Measurement	Da Sa (m	Dates of AL ampling Violation mo./yr.) Y/N		ion I	90th Percentile Result		# of sites Exceeding the AL	MCLG	AL (action level)	Likely Source of Contamination	
Copper (tap water) (ppm)	8-'	9/2020 N			0.11		0	1.3	1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
Lead (tap water) (ppb)	8-'	7/2020 N			1.9		2	0	15	Corrosion of household plumbing systems; erosion of natural deposits;	
Disinfectants and Disinfection By-Products											
			Th	ese res	sults are for	the e	entire distribu	tion system	n		
Contaminant and Unit of Measurement	t Dates of Sampling (mo./yr.)		MCL Violation Y/N		Level Detected*		Range of Results	MCLG or MRDLG	MCL or MRDL	Likely Source of Contamination	
Chloramines (ppm)	1-1	2/2022	Ν		2.93		2.6-3.2	MRDLG = 4	MRDL = 4.0	Water additive used to control microbes	
Haloacetic Acids (HAA5) (ppb)	2,	,5,8,11 N 2022 N			23.4 (highest LRAA at site 5) @ SE Darien Road		1.0-27.0	N/A	MCL = 60	By-product of drinking water disinfection	
TTHM (Total trihalo- methanes) (ppb)	2,5,8,11 2022		Ν		40.8 (high LRAA at 1)@ 1062 Prineville	nest site 2 SE e St	48.4	N/A	MCL = 80	By-product of drinking water disinfection	
* Results in the Level Detected column for radiological contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency. For THM's and HAA's, the "level detected" is the highest locational running annual average for the year.											
UCMR4 Disinfectants and Disinfection By-Products											
These results are for the entire distribution system											
Contaminant and Unit of Measurement (mo.		əs of pling ./yr.)	Lev Detected		Level cted (Average)		Range of Results		Likely Source of Contamination		
НАА9		3,9/20			22.5		1.7-40.4		By-product of drinking water disinfection		
HAA6Br		3,9/20		12.3		1.2-21.7		By-product of drinking water disinfection			
HAA5		3,9/20			14.3		1.4-25.7		By-product of drinking water disinfection		
Unregulated Contaminants											
For Prinville Water Treatment Plant											
Contaminant and Unit of Measurement		Dates of Lo Sampling Det (mo./yr.) (Ave		Le Dete (Ave	vel Rc ected R rage)		ange of Results		Likely Source of Contamination		
Source Water (Limeplant)											
Total Organic Carbon (ug/L)		3,9/20	3,9/20 10		495 999		90-11000		Naturally present in the environment		
Bromide (ug/L)		3,9/20	3,9/20 20		1.5 20		200-203		Naturally present in the environment		
Source Water (RO Plant)											
Iotal Organic Carbon (ug/L)		3,9/20		19	95 19		900-2090		Naturally present in the environment		
Bromide (ug/L)		4,9/20	4,9/20 41		05	5 410			Naturally present in the environment		

6

Test Results Table									
For Prineville Water Treatment Plant									
Contaminant and Unit of Measurement	Dates of Sampling (mo./yr.)	MCL Violation Y/N	Level Detected*	Range of Results	MCLG	MCL	Likely Source of Contamination		
Radiological Contaminants									
Radium 226 (pCl/L)	5/17/20	N	0.521	0.521	0	5	Erosion of natural deposits.		
Inorganic Contaminants									
Fluoride (ppm)	3/20	Ν	0.67	N/A	4	4	Erosion of natural deposits; discharge from fertilizer and aluminum factories. Water additive which promotes strong teeth when at the optimum level of 0.7 ppm		
Sodium (ppm)	3/20	N	105	N/A	N/A	160	Salt water intrusion; leaching from soil		
Barium (ppm)	3/20	Ν	0.0043	N/A	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.		
Nitrate (ppm)	3/22	N	0.031	N/A	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.		

* Results in the Level Detected column for radiological contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency. For THM's and HAA5's, the "level detected" is the highest locational running annual average for the year.

Test Results Table									
For James E. Anderson Water Treatment Plant									
Contaminant and Unit of Measurement	Dates of Sampling (mo./yr.)	MCL Violation Y/N	Level Detected*	Range of Results	MCLG	MCL	Likely Source of Contamination		
Radioactive Contaminants									
Radium 226 (pCi/L)	5/17/20	N	0.69	0.69	0	5	Erosion of natural deposits		
Inorganic Contaminants									
Fluoride (ppm)	3/20	Ν	0.75	N/A	4	4	Erosion of natural deposits; discharge from fertilizer and aluminum factories. Water additive which promotes strong teeth when at the optimum level of 0.7 ppm		
Nitrate (ppm)	3/22	N	0.028	N/A	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits.		
Sodium (ppm)	3/20	N	120	91.2 - 120	N/A	160	Salt water intrusion, leaching from soil.		
Barium (ppm)	3/20	N	0.003	N/A	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits.		

* Results in the Level Detected column for radiological contaminants, inorganic contaminants, synthetic organic contaminants including pesticides and herbicides, and volatile organic contaminants are the highest average at any of the sampling points or the highest detected level at any sampling point, depending on the sampling frequency. For THM's and HAA5's, the "level detected" is the highest locational running annual average for the year.

Unregulated Contaminants								
For JEA Water Treatment Plant								
Contaminant and Unit of Measurement	Dates of Sampling (mo./yr.)	Level Range of Detected Results		Likely Source of Contamination				
Source Water								
Total Organic Carbon (ug/L)	3,9/20	1635	1550-1720	Naturally present in the environment				
Bromide (ug/L)	4,9/20	7575	7360-7790	Naturally present in the environment				

7



Mayor Shannon Martin



Vice Mayor Jolien Caraballo, District 4



Councilwoman Stephanie Morgan, District 1



Councilman David Pickett, District 2



Councilman Anthony Bonna, District 3



City Manager Jesus Merejo





City of Port St. Lucie Utility Systems Department Kevin Matyjaszek, Utility Systems Director